

# Specialty Products



## TRAFFIC CONES



- Three sizes, 18" (457.2mm)  
28" (711.2mm)  
36" (914.4mm)
- Bright Day-Glo Fluorescent Orange
- Molded one-piece construction
- Rugged poly-vinyl-chloride
- Stacks easily for storage and transportation

## PARKING STOP

Colors: Gray, Blue, Yellow



Size	Part No.
4'	SHCCPS-04-YX
6'	SHCCPS-06-XX

Mounting hardware included.

## PARK SMART® MAT



Part No.	SHCCSM----YX
----------	--------------

No more parking mishaps.

## SPEED BUMP

Color: Yellow



Size	Part No.
6'	SHCCSB-06-YX

Mounting hardware included.

## WHEEL CHOCKS

Color: Yellow



Part No.	SHCCWC-SE-YX
----------	--------------

## PORTABLE STANCHION & CHAIN



An easy and convenient method to control pedestrian traffic, both indoors and outdoors. Bases can be filled with sand or water for increased stability and wind load.

Plastic posts and chains are available in White, Black, and Yellow.

## PORTABLE TRAFFIC POSTS



Portable delineators come with 2-3" (50.8mm x 76.2mm) White reflective bands and provide full 360° visibility. The Fluorescent Orange color offers maximum brilliance.

Available in 28" (711.2mm) or 42" (1066mm) heights with hexagon recycled rubber base. 18lb (8.16kg), 12lb (5.44kg), and 8lb (3.63kg) available.

## EMERGENCY / PORTABLE STOP SIGN



Part No.	SX348PSBSSWX
----------	--------------

- Emergency traffic control during signal light failure, accidents, fires, flooding and construction
- Easily transported in emergency vehicles by police, fire or public works vehicles
- Portable or temporary signage for streets, parking lots, garages, special events and many other applications
- Easy to assemble or disassemble for easy storage
- 18" x 18" (457.2mm x 457.2mm) Flexible sign

# Glarescreen System




Safe-Hit Glarescreen is a vertical blade delineator system that is used to delineate both temporary and permanent medians. Positioned on the top of median barriers, this system minimizes traffic slow downs in work zone areas. Made of polymeric materials, the blades are flexible and durable, and fit into a specially-designed plastic blade base and base spacer system. The entire system then mounts to the top of median barriers to create a shield for the length of the median. Reflective sheeting may be added to the blades.

## Glarescreen Application



Uniquely designed for safety and modular economics, Safe-Hit's Glarescreen System is the ideal for delineating both temporary and permanent median barriers.

## Multipiece Vertical Blade Delineator System



- Available in Green and Gray.
- 24" (609.6mm) and 30" (762mm) standard height (custom heights available).
- Reduces traffic jams in work zones by limiting cross-median visibility.
- Barrier wall can be relocated without removing the glare screen.
- Adapts to any size barrier, temporary or permanent.
- MODULAR
- Fast, easy installation and replacement.
- Safe, durable, high-impact polymer.
- Allows easy access to highway for maintenance or emergency crews.
- Easy repair when needed.

# Water Filled Barricades



## PCS2000 HEAVY DUTY WATER FILLED BARRICADE

The Safe-Hit PCS2000 is the premier water-filled system for parking, traffic and crowd control applications.

Multiple PCS2000 modules can be connected together to create varied lengths for specific applications. The modules are pinned together and swivel for easy positioning. Once in place the modules can be filled with water to add weight.

The Safe-Hit PCS2000 modules are easy to move and set up. Each module weighs less than 90 lbs (40.82kg) and can be easily unloaded and positioned by two people. The modules are stackable for convenient storage. Water capacity is 145 gallons (1,290 lbs) [(549L) (585kg)]. Barricade size is 84" L x 21" W x 32"H (2.13m x .533m x .813m).

(78" (1.981m) length pin to pin)

Standard Colors: Dark Gray, Light Gray, or Yellow  
 Custom Colors: Call for details



***The PCS2000 features a heavy-duty beamed profile not found in imitators!***

**STANDARD MODULE PACKAGE**



- One 84" (2.13m) module (78" (1.981m) pin to pin)
- One connector pin
- One threaded inlet and plug
- One threaded drain and plug
- Built-in fork lift ports

**Volume discounts available.**

Description	Part No.
Dark Gray	SHPCS2000-AX
Light Gray	SHPCS2000-MX
Yellow	SHPCS2000-YX



# KONAPOST™



The KonaPost is an excellent alternative to traditional orange cones. It is ideal for applications where orange cones or markers must be quickly deployed in specific patterns on a regular basis. The flexible KonaPost's 6" (152.4mm) plug is easily inserted into a hot-dip galvanized steel receptacle that is recessed into the pavement. The posts can be deployed when needed and quickly removed by lifting them out of the pavement receptacles.



CONES	KONAPOSTS
<ul style="list-style-type: none"> <li>Haphazard</li> <li>Damaged</li> <li>Lost</li> <li>Random</li> <li>Inadequate</li> <li>Cheap, Quick Fix</li> <li>Safety Risk And Increased Liability</li> </ul>	<ul style="list-style-type: none"> <li>ACCURATE</li> <li>DURABLE</li> <li>SECURE</li> <li>CONSISTENT</li> <li>EFFECTIVE</li> <li>LONG TERM VALUE</li> <li>SAFER</li> </ul>


***Tested to withstand over 200 impacts and rollovers!***

### HEAVY DUTY KONAPOSTS

	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 20%;">Part</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>KonaPost</td> <td>4" x 19" w/6" plug (101.6mm x 482.6mm)(152.4mm)</td> </tr> </tbody> </table>	Part	Size	KonaPost	4" x 19" w/6" plug (101.6mm x 482.6mm)(152.4mm)
Part	Size				
KonaPost	4" x 19" w/6" plug (101.6mm x 482.6mm)(152.4mm)				
	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 20%;">Part</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>Receptacle</td> <td>8" depth 4 1/2" x 4 1/2" (203.2mm)(114.3mm x 114.3mm)</td> </tr> </tbody> </table>	Part	Size	Receptacle	8" depth 4 1/2" x 4 1/2" (203.2mm)(114.3mm x 114.3mm)
Part	Size				
Receptacle	8" depth 4 1/2" x 4 1/2" (203.2mm)(114.3mm x 114.3mm)				

Install and remove in seconds by placing probe into receptacle! Specify color and reflective sheeting when ordering.

*Standard Colors: Yellow, Orange and White (Custom Colors Available Reflective Sheeting) – see page 12*



# THE RETRACTOR®



***Call today, to find out how the Retractor System can be custom configured for your specific application.***

The Retractor is an automatic retractable lane delineator that guides and channelizes traffic at locations requiring repetitive lane usage or traffic pattern changes. The Retractor's durable and flexible delineator post can be automatically raised into position from a remote location to provide positive guidance to traffic. When not in use, the system's electric motor lowers the delineator post into a recessed cartridge. Post height is 36" (914.4mm) with a 3" (76.2mm) diameter.